		ODES	5		
CORE EMERGENCY ULTRAS US STUDY	1	ODES CPT Description	wRVU 2015	NOTES	
FAST: SCAN FOR HEMOPERICARDIUM AND HEMOPERITONEUM, MAY INCLUDE LUNG US FOR PNEUMOTHORAX	93308	Echocardiography, transthoracic, real-time with image documentation (2D), with or without M-Mode recording; follow-up or limited	0.53		
	76705	Echography, abdominal, B-scan and/or real time with image documentation, limited (eg, single organ, quadrant, follow-up)	0.59		
INTRAUTERINE PREGNANCY	76604	Ultrasound, chest, B-scan (includes mediastinum) and/or real time with image documentation	0.55		
PREGNANT TRANSABDOMINAL (TA)	76815	Ultrasound, pregnant uterus, real time with image documentation, limted (eg fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid	0.65		
PREGNANT TRANSVAGINAL (TV)	76817	volume), one or more fetuses Ultrasound, pregnant uterus, real time with image documentation, transvaginal	0.75	No limited code exists.	
AAA	76775	Echography, retroperitoneal (eg renal, aorta, nodes); B-scan and/or real time with image documentation; limited	0.58		
CARDIAC	93308	Echocardiography, transthoracic, real-time with image documentation (2D), with or without M-Mode recording;	0.53		
BILIARY	76705	Follow-up or limited Echography, abdominal, B-scan and/or real time with image documentation, limited (eg, single organ, quadrant,	0.59		
URINARY TRACT/RENAL	76775	follow-up) Echography, retroperitoneal (eg renal, aorta, nodes); B-scan and/or real time with image documentation; limited	0.58		
POST-VOID RESIDUAL	51798	Measurement of post-voiding residual urine and/or bladder capacity by ultrasound, nonimaging	0	Use for bladder scanner, not for ultrasound machine.	
BLADDER IMAGING	76857	Imaging of bladder	0.50	Bladder anatomy including volume	
FOCUSED DVT STUDY	93971	Duplex scan of extremity veins including responses to	0.45	Diadder anatomy merading volume	
SOFT TISSUE ULTRASOUND		compression and other maneuvers; unilateral or limited study.			
NECK	76536	Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid), B-scan and/or real time with image	0.56		
AXILLA	76882	documentation Ultrasound, extremity, non-vascular, B-scan and/or real time with image documentation	0.49		
CHEST WALL	76604	Ultrasound, chest, B-scan (includes mediastinum) and/or real time with image documentation	0.55		
BREAST	76641	Ultrasound, breast, B-scan and/or real time with image documentation, complete	0.73		
UPPER BACK	76642 76604	Ultrasound, breast, B-scan and/or real time with image documentation, limited Ultrasound, chest, B-scan (includes mediastinum) and/or	0.68		
LOWER BACK	76705	real time with image documentation Echography, abdominal, B-scan and/or real time with image documentation, limited (eg, single organ, quadrant,	0.59		
ABDOMINAL WALL	76705	follow-up) Echography, abdominal, B-scan and/or real time with	0.59		
PELVIC WALL	76857	image documentation, limited (eg, single organ, quadrant, follow-up) Ultrasound, pelvic (nonobstetric), B-scan and/or real time	0.50	Appropriate for male or female	
LOWER EXTREMITY	76882	with image documentation, limited or follow-up Ultrasound, extremity, non-vascular, B-scan and/or real	0.49	pelvic evaluation	
MUSCULOSKELETAL (EXTREMITY, NON- VASCULAR)	76882	time with image documentation Ultrasound, extremity, non-vascular, B-scan and/or real time with image documentation	0.49	Appropriate for evalulation of foreign bodies, abscess, tendon lac,	
INFANT HIP, STATIC	76886	Ultrasound, infant hips, real time with imaging	0.62	other focused extremity exam	
		documentation; limited, static (not requiring physician manipulation)		Du aymoth a yay ayalyati an	
THORACIC OCULAR	76604 76512	Ultrasound, chest, B-scan (includes mediastinum) and/or real time with image documentation Ophthalmic ultrasound, diagnostic; B-scan (withor	0.55	Pneumothorax evaluation	
OCULAR FB MISCELLANEOUS ULTRASOUND	76529 76999	Without superimposed non-quantitative A-scan) Ophthalmic ultrasonic foreign body localization Unlisted ultrasound procedure (ex, diagnosite,	0.57		
ADJUNCT EMERGENCY ULI	 TRASOUN	interventional) D CODES (recommend advanced tr	aining)		
US STUDY ADVANCED ECHO	CPT CODE 93308	CPT Description Echocardiography, transthoracic, real-time with image	wRVU 2015 0.53	NOTES	
TRANSESOPHAGEAL ECHO	93312	documentation (2D), with or without M-Mode recording; follow-up or limited Echocardiography, transesophageal, real time with image	2.55		
		documentation (2D) (with or without M-mode recording); including probe placement, image acquisition, interpretation and report			
BOWEL	76705	Echography, abdominal, B-scan and/or real time with image documentation, limited (eg, single organ, quadrant, follow-up)	0.59		
ADNEXAL PATHOLOGY NONPREGNANT TA	76857	Ultrasound, pelvic (nonobstetric), B-scan and/or real time	0.50		
NONPREGNANT TV	76830	with image documentation. limited or follow-up	0.69	No limited code exists.	
FOCUSED DUPLEX SCAN OF OVARIES OR TESTES FOR TORSION US SCROTUM AND CONTENTS	93976 76870		0.80	No limited code exists.	
FRANSCRANIAL DOPPLER FOR VENTRICULOPERITONEAL SHUNT	93888		0.50		
EVALUATION CONTRAST ULTRASOUND STUDIES				No code exists for enhanced ultrasound studies. Code for	
IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/	49407	(eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal transvaginal/transrectal	4.5	unenhanced study.	
RETROPERITONEAL TRANSVAGINAL/ TRANSRECTAL		includes moderate sedation when used. Must leave catheter in place for drainage.			
ULTRASOUND-GUIDED PRO	CEDURE	CODES			
US-GUIDED PROCEDURE	CPT CODE	T	wRVU 2015	ADDITIONAL CPT CODE	
US-GUIDED VASCULAR ACCESS PLACEMENT	76930	Requires image of site to be localized but does not require image of needle in site.		33010	
US GUIDED VASCULAR ACCESS PLACEMENT	76937	1 *	0.3	36000 36555 3655C 36555 36550	
III CHIPPE THE T	20555	guidance and a representative image but does not require image of needle in site.	2.27	36000, 36555, 36556, 36557, 36558	
US-GUIDED THORACENTESIS	32555 32557	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of	3.17	36000, 36555, 36556, 36557, 36558	
		image of needle in site. Requires image of site to be localized but does not require image of needle in site.	3.17	36000, 36555, 36556, 36557, 36558	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION	32557	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require	3.17	36000, 36555, 36556, 36557, 36558	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION	32557 49083	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous,	3.17	36000, 36555, 36556, 36557, 36558	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL	32557 49083	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate	3.17	36000, 36555, 36556, 36557, 36558	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL	32557 49083 10030	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst),	3.17	36000, 36555, 36556, 36557, 36558	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS	32557 49083 10030	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does	3.17	36000, 36555, 36556, 36557, 36558	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/	32557 49083 10030 49405	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst),	3.17 2 3 4.25	36000, 36555, 36556, 36557, 36558	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS	32557 49083 10030 49405	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but	3.17 2 3 4.25	36000, 36555, 36556, 36557, 36558	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE	32557 49083 10030 49405 49406 76942	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site.	3.17 2 3.17 4.25 4.25	10160 OR 10061*	
MAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE MAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS MAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE US-GUIDED PERITONSILLAR ABSCESS DRAINAGE	32557 49083 10030 49405 49406	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site.	3.17 2 3 4.25 4.25		
JS-GUIDED PARACENTESIS MAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE MAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS MAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER JS-GUIDED ABSCESS DRAINAGE JS-GUIDED PERITONSILLAR ABSCESS DRAINAGE JS-GUIDED LUMBAR PUNCTURE JS-GUIDED SUPRAPUBIC ASPIRATION JS-GUIDED FB REMOVAL	32557 49083 10030 49405 49406 76942 76942 76942 76942 76942 76942	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site.	3.17 2 3.17 2 4.25 4.25 0.67 0.67 0.67 0.67	10160 OR 10061* 42700	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE US-GUIDED PERITONSILLAR ABSCESS DRAINAGE US-GUIDED LUMBAR PUNCTURE US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED FB REMOVAL US-GUIDED JOINT ASPRIATION	32557 49083 10030 49405 49406 76942 76942 76942 76942 76942 76942 20604 20606 20611	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Arthrocentesis of small joint Arthrocentesis of medium joint Arthrocentesis of large joint	3.17 2 3.17 2 4.25 4.25 0.67 0.67 0.67 0.67 0.67 0.89 1.00 1.10	10160 OR 10061* 42700 62270 51100 10120 OR 10121	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE US-GUIDED ABSCESS DRAINAGE US-GUIDED LUMBAR PUNCTURE US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED FB REMOVAL US-GUIDED JOINT ASPRIATION	32557 49083 10030 49405 49406 76942 76942 76942 76942 76942 76942 20604 20606 20611	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site.	3.17 2 3.17 2 4.25 4.25 0.67 0.67 0.67 0.67 0.67 0.89 1.00 1.10	10160 OR 10061* 42700 62270 51100 10120 OR 10121	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE US-GUIDED PERITONSILLAR ABSCESS DRAINAGE US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED FB REMOVAL US-GUIDED JOINT ASPRIATION SEPARATELY BILLABLE CPT CPT CODE	32557 49083 10030 49405 49406 76942 76942 76942 76942 76942 76942 76942 76941 T CODES DESCRIPT	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Arthrocentesis of small joint Arthrocentesis of medium joint Arthrocentesis of large joint FOR ULTRASOUND GUIDED PRO	3.17 2 3.17 2 4.25 4.25 0.67 0.67 0.67 0.67 0.67 0.89 1.00 1.10	10160 OR 10061* 42700 62270 51100 10120 OR 10121	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE US-GUIDED PERITONSILLAR ABSCESS DRAINAGE US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED FB REMOVAL US-GUIDED JOINT ASPRIATION SEPARATELY BILLABLE CPT CPT CODE 10120 10121	32557 49083 10030 49405 49405 49406 76942 76942 76942 76942 76942 20604 20606 20611 T CODES DESCRIPTION AND INCISION AND	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Arthrocentesis of small joint Arthrocentesis of large joint FOR ULTRASOUND GUIDED PRO	3.17 2 3.17 2 4.25 4.25 0.67 0.67 0.67 0.67 0.67 0.89 1.00 1.10	10160 OR 10061* 42700 62270 51100 10120 OR 10121 (in numerical order)	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE US-GUIDED PERITONSILLAR ABSCESS DRAINAGE US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED FB REMOVAL US-GUIDED JOINT ASPRIATION SEPARATELY BILLABLE CP CPT CODE 10120 10121 10160 10061 33010	32557 49083 10030 49405 49405 49406 76942 76942 76942 76942 76942 20604 20606 20611 T CODES DESCRIPTION AND INCISION AND PERICARDIOCOMMENTO AND PERICARDIOCOMMENTO AND INCISION AND PERICARDIOCOMMENTO AND PERICARDIOC	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. POR ULTRASOUND GUIDED PROPRIEMOVAL FOREIGN BODY SIMPLE REMOVAL FOREIGN BODY SIMPLE REMOVAL FOREIGN BODY COMPLICATED DRAINAGE OF ABSCESS SIMPLE DRAINAGE OF ABSCESS COMPLICATED	3.17 2 3.17 2 4.25 4.25 0.67 0.67 0.67 0.67 0.67 0.89 1.00 1.10	10160 OR 10061* 42700 62270 51100 10120 OR 10121 (in numerical order) WRVU 2015 1.22 2.74 1.25 2.45 2.24	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE US-GUIDED PERITONSILLAR ABSCESS DRAINAGE US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED JOINT ASPRIATION SEPARATELY BILLABLE CP CPT CODE 10120 10121 10160 10061 133010 36000 365555	32557 49083 10030 49405 49405 49406 76942 76942 76942 76942 76942 20604 20606 20611 T CODES DESCRIPTION AND INCISION AND	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. POR ULTRASOUND GUIDED PROPRIEMOVAL FOREIGN BODY SIMPLE REMOVAL FOREIGN BODY SIMPLE REMOVAL FOREIGN BODY COMPLICATED DRAINAGE OF ABSCESS SIMPLE DRAINAGE OF ABSCESS COMPLICATED	3.17 2 3.17 2 4.25 4.25 0.67 0.67 0.67 0.67 0.67 0.89 1.00 1.10 OCEDURES E < 5 YO	10160 OR 10061* 42700 62270 51100 10120 OR 10121 (in numerical order) WRVU 2015 1.22 2.74 1.25 2.45	
CPT CODE 10120 10121 10160 10061 33010 36000 36555 36556 36557	32557 49083 10030 49405 49405 49406 76942 76942 76942 76942 76942 76942 76942 76942 100000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of the needle Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), visceral (eg, bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg, abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. PON REMOVAL FOREIGN BODY SIMPLE REMOVAL FOREIGN BODY SIMPLE REMOVAL FOREIGN BODY COMPLICATED DRAINAGE OF ABSCESS SIMPLE DRAINAGE OF ABSCESS COMPLICATED ENTESIS, INITIAL ENTESIS, INITIAL ENTENNELED CENTRAL VENOUS CATHETER AG A NON-TUNNELED CENTRAL VENOUS CATHETER AG A PERIPHERALLY INSERTED NON-TUNNELED CENTER SECONDAL SEC	3.17 2 3.17 2 4.25 4.25 4.25 0.67 0.67 0.67 0.67 0.67 0.89 1.00 1.10 OCEDURES E < 5 YO GE > 5 YO TRAL VENOUS	10160 OR 10061* 42700 62270 51100 10120 OR 10121 (in numerical order) WRVU 2015 1.22 2.74 1.25 2.45 2.24 0.18 2.68 2.50 5.14	
US-GUIDED PARACENTESIS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, SOFT TISSUE IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, VISCERAL PERCUTANEOUS IMAGE GUIDED FLUID COLLECTION DRAINAGE BY CATHETER, PERITONEAL/ RETROPERITONEAL PERCUTANEOUS MISCELLANEOUS ULTRASOUND-GUIDED PROCEDURE WITHOUT CATHETER US-GUIDED ABSCESS DRAINAGE US-GUIDED PERITONSILLAR ABSCESS DRAINAGE US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED SUPRAPUBIC ASPIRATION US-GUIDED JOINT ASPRIATION SEPARATELY BILLABLE CP CPT CODE 10120 10121 10160 10061 33010 36000 36555 36556	32557 49083 10030 49405 49405 49406 76942 76942 76942 76942 76942 20604 20606 20611 T CODES DESCRIPTION OF INCISION AND INCISION OF INSERTION OF CATHETER ACCURATE INCIPION	image of needle in site. Requires image of site to be localized but does not require image of needle in site. Thoracentesis and catheter placement. Requires image of site to be localized but does not require image of needle in site. (eg. abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg. extremity, abdominal wall, neck), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg. abscess, hematoma, seroma, lymphocele, cyst), visceral (eg. bladder), percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg. abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. (eg. abscess, hematoma, seroma, lymphocele, cyst), peritoneal/retroperitoneal percutaneous, includes moderate sedation when used. Must leave catheter in place for drainage. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. Requires image of site to be localized but does not require image of needle in site. ON REMOVAL FOREIGN BODY SIMPLE REMOVAL FOREIGN BODY SIMPLE REMOVAL FOREIGN BODY COMPLICATED DRAINAGE OF ABSCESS SIMPLE DRAINAGE OF ABSCESS SIMPLE DRAINAGE OF ABSCESS COMPLICATED ENTESIS, INITIAL EINVEIN NON-TUNNELED CENTRAL VENOUS CATHETER AG A PERIPHERALLY INSERTED NON-TUNNELED CENT E < 5 YO A PERIPHERALLY INSERTED NON-TUNNELED CENT	3.17 2 3.17 2 4.25 4.25 4.25 0.67 0.67 0.67 0.67 0.67 0.89 1.00 1.10 OCEDURES E < 5 YO GE > 5 YO TRAL VENOUS	10160 OR 10061* 42700 62270 51100 10120 OR 10121 (in numerical order) WRVU 2015 1.22 2.74 1.25 2.45 2.24 0.18 2.68 2.50	

*Correction from 2014 US Coding Guide Update